

Tobacco Product Use Among Adults

Shawnee County, 2017



OVERVIEW



In 2017, **about 22 of every 100** Shawnee County adults 18 years and older currently smoked cigarettes.*



In 2017, **53 of every 100** Shawnee County adults 18 years and older who were current smokers stopped smoking for one day or longer because they were trying to quit smoking.



In 2017, **4 of every 100** Shawnee County adults 18 years and older currently used any smokeless tobacco products.†



In 2017, **nearly 6 of every 100** Shawnee County adults 18 years and older currently used e-cigarettes.‡

Cigarette Smoking by Selected Socio-demographic Characteristics, Shawnee County

BY GENDER[¶]

19.8%

Nearly 20 of every 100 adult women.




24.2%


About 24 of every 100 adult men.

BY AGE


Current cigarette smoking was significantly higher among persons **aged 18-44 years, and 45-64 years** compared to those **aged 65 years and older**.



Nearly 28 of every 100 adults aged 18-44 years.



Nearly 25 of every 100 adults aged 45-64 years.




About 7 of every 100 adults aged 65 years and older.

BY OBESITY[¶]


About 25 of every 100 adults who were Normal or Underweight (BMI<25).

25.2%



About 22 of every 100 adults who were Overweight (25<=BMI<30).

22.4%




Nearly 20 of every 100 adults who were Obese (BMI>=30).


19.9%



BY HEALTH INSURANCE[¶]



Nearly 21 of every 100 adults who were insured




Nearly 35 of every 100 adults who were uninsured

[¶] The prevalence estimates of current cigarette smoking in Shawnee County are not significantly different by gender, obesity, and health insurance groups.


Cigarette Smoking by Selected Socio-demographic Characteristics, Shawnee County

BY EDUCATION

Current cigarette smoking was **significantly higher among persons with a high school education or less** compared to adults with **some college education or higher**.



Nearly 33 of every 100 adults with a high school education or less.



About 15 of every 100 adults with some college education or higher.

BY ANNUAL HOUSEHOLD INCOME

Current cigarette smoking was significantly higher among persons with an annual household income of **less than \$35,000 per year** compared to those with **\$35,000 or higher per year**.



30.0%

30 of every 100 adults with an annual household income of less than \$35,000 per year.



18.3%


About 18 of every 100 adults with an annual household income of \$35,000 or higher per year.

BY DISABILITY STATUS

Current cigarette smoking was **significantly higher among persons living with a disability[§]** compared to those **living without a disability**.


Nearly 30 of every 100 adults who reported living with a disability.

29.8%



Nearly 19 of every 100 adults who reported living without a disability.

18.9%



[§] Living with a Disability: Respondents who have at least one of the six disability types (hearing, vision, cognition, mobility, self-care, and/or independent living).

